

# Stop waiting...

if you are tired of waiting for your adhesive to cure, we may be able to help.

Introducing SnapSil\* RTV230A/B adhesive, a NEW two-component, room temperature cure silicone adhesive developed to deliver PRODUCTIVITY.

SnapSil RTV230 adhesive's fast-cure through time and property build allow you to move parts through your assembly system with greater speed.

Primers are not required for adhesion to most substrates and this may help reduce the number of steps in your process.

For smaller applications, we have eliminated the need for hand mixing; SnapSil RTV230 adhesive can be packaged in a two-component cartridge to make dispensing easier and faster.

SnapSil RTV230 adhesive is an excellent candidate for a wide variety of industrial assembly applications in which:

- Faster cure speed is desired,
- Heat cannot be used to cure the adhesive, and
- Replacement of double-sided tape, mechanical fasteners or clamps would be useful.



## Typical Physical Properties

Color (Final Product)	White
Specific Gravity (23°C), cured	1.40
Viscosity (cps)	RTV230A: 710,000 RTV230B: 95,000
Application Rate @ 45 psi, g/min	RTV230A: 250 RTV230B: 80
Tensile Strength (psi)	255
Elongation, %	280
Hardness, Shore A Durometer	36
Work (Pot) Life	5 to 15 minutes

## Packaging Options

- RTV230A/B: 2-component cartridge (9.2 fl oz/274mL)
- RTV230A: 5-gallon pail, 55-gallon drum
- RTV230B: 5-gallon pail

## Dispensing

- Small Quantities: Caulking gun (manual or powered).
- Large Quantities: Automated meter-mix dispenser equipment, to gain optimum productivity.

## Patent Status

US and foreign patents pending.

## Product Safety, Handling and Storage

Customers considering the use of this product should review the latest Material Safety Data Sheet and label for product safety information, handling instructions, personal protective equipment if necessary, and any special storage conditions required. Material Safety Data Sheets are available at [www.momentive.com](http://www.momentive.com) or, upon request, from any Momentive Performance Materials representative. Use of other materials in conjunction with Momentive Performance Materials products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

To put an end to your waiting game, please call us at 1.800.295.2392 and mention promo code FAST.



# Principal Locations

Regional Information	Phone	Fax
<b>North America</b> World Headquarters 187 Danbury Road Wilton, CT 06897, USA	800.295.2392	607.754.7517
<b>Latin America</b> Rodovia Eng. Constância Cintra, Km 78,5 Itatiba, SP – 13255-700 Brazil	+55.11.4534.9650	+55.11.4534.9660
<b>Europe, Middle East, Africa and India</b> Leverkusen Germany	00.800.4321.1000	
<b>Pacific</b> 6-2-31 Roppongi Minato-ku Tokyo 106-8550 Japan	+81.3.3479.5361	+81.3.3479.5391
<b>Customer Service Centers</b>		
<b>North America</b> South Charleston, WV 25303, USA E-mail: <a href="mailto:cs-na.osi@ge.com">cs-na.osi@ge.com</a>	<b>Specialty Fluids</b> 800.523.5862	304.746.1654
	<b>UA, Silanes, Resins, and Specialties</b> 800.334.4674	304.746.1623
	<b>RTV Products-Elastomers</b> 800.332.3390	304.746.1623
	<b>Sealants and Adhesives and Construction</b> 877.943.7325	304.746.1654
<b>Canada</b> Toronto, Canada	Within Canada Outside Canada 800.668.4644 905.858.5187	905.858.6687
<b>Latin America</b> Argentina and Chile Brazil Mexico and Central America Venezuela, Ecuador, Peru, Colombia, and Caribbean E-mail: <a href="mailto:csla.gesosi@ge.com">csla.gesosi@ge.com</a>	+54.23.2055.2857 +55.11.4534.9650 +52.55.5257.6042 +58.212.902.5167	+54.23.2055.2811 +55.11.4534.9660 +52.55.5257.6094 +58.212.902.5158
<b>Europe, Middle East, Africa and India</b> E: <a href="mailto:ebusiness1.gebs@ge.com">ebusiness1.gebs@ge.com</a> E: <a href="mailto:cs-eur.osi@ge.com">cs-eur.osi@ge.com</a>	00.800.4321.1000	
<b>Pacific</b> Japan E-mail: <a href="mailto:helpdesk@getos.co.jp">helpdesk@getos.co.jp</a> China Korea Singapore	+81.276.20.6182 +86.800.820.0202 +82.2.530.6400 +65.6220.7022	
<b>Worldwide Hotline</b>	<b>800.295.2392</b>	<b>+607.786.8131</b>
<b>Worldwide Web</b>		<b>ge.com/silicones</b>

THE MATERIALS, PRODUCTS AND SERVICES OF THE BUSINESSES MAKING UP MOMENTIVE PERFORMANCE MATERIALS INC., ITS SUBSIDIARIES AND AFFILIATES, ARE SOLD SUBJECT TO MOMENTIVE PERFORMANCE MATERIALS INC.'S STANDARD CONDITIONS OF SALE, WHICH ARE INCLUDED IN THE APPLICABLE DISTRIBUTOR OR OTHER SALES AGREEMENT, PRINTED ON THE BACK OF ORDER ACKNOWLEDGMENTS AND INVOICES, AND AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, MOMENTIVE PERFORMANCE MATERIALS INC. MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING ITS PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN MOMENTIVE PERFORMANCE MATERIALS INC. STANDARD CONDITIONS OF SALE, MOMENTIVE PERFORMANCE MATERIALS INC. BUSINESS AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user bears full responsibility for making its own determination as to the suitability of Momentive Performance Materials Inc.'s materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating Momentive Performance Materials Inc.'s products, materials, or services will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Momentive Performance Materials Inc.'s Standard Conditions of Sale or this Disclaimer, unless any such modification is specifically agreed to in a writing signed by Momentive Performance Materials. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Momentive Performance Materials Inc. or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service or design in the infringement of any patent or other intellectual property right.